

Health Department
3 Pond Road, City Hall Annex
Gloucester, Massachusetts 01930
PHONE: 978-281-9771 · Fax: 978-281-9729
EMAIL: healthdepartment@gloucester-ma.gov
WEBSITE: www.gloucester-ma.gov



Public Health
Prevent. Promote. Protect.

Agenda

Gloucester Board of Health
Septic Subcommittee

November 7th, 2016

8:30 AM

Annex Conference Room
3 Pond Road
Gloucester, MA

2016 NOV - 2 PM 3: 55
CITY CLERK
GLOUCESTER, MA


The following items will be under review by the Gloucester Board of Health Septic Subcommittee:

- **71 Sumner Street – Map 240, Lot 30**
(Property owned by Kathleen Shea – Represented by John Judd, Gateway Consultants)

To discuss a variance to Gloucester's Onsite Wastewater regulations to reduce the setback of a leaching facility and a septic tank to a wetland from 100 feet to 73 feet and 76 feet, respectively.

- **13 Fenley Road - Map 242, Lot 27**
(Property owned by Alan and Judith Murray – Represented by John Judd, Gateway Consultants)

To discuss a local upgrade request to allow septic tank and pump chamber inverts to be set within 12" of the seasonal high groundwater table, and to allow for a 1 foot reduction in the separation from seasonally high groundwater and the bottom of the leaching facility.



Health Department
3 Pond Road, City Hall Annex
Gloucester, Massachusetts 01930
PHONE: 978-281-9771 • Fax: 978-281-9729
EMAIL: healthdepartment@gloucester-ma.gov
WEBSITE: www.gloucester-ma.gov



Public Health
Prevent. Promote. Protect.

- **To discuss preliminary changes to the Gloucester Onsite Wastewater Regulations.**

For more information, please contact Thor Akerley at the Gloucester Health Department.
978-325-5263
takerley@gloucester-ma.gov